

Prior Authorization Request

FORTEO, APO-TERIPARATIDE, OSNUVO, TEVA-TERIPARATIDE (teriparatide)

Instructions

Plan Member Signature

Please complete Part A and have your physician complete Part B. Completion and submission is not a guarantee of approval. Any fees related to the completion of this form are the responsibility of the plan member. Drugs in the Prior Authorization Program may be eligible for reimbursement if the patient does not qualify for coverage under a primary plan or a government program. Drugs used for indications not approved by Health Canada may be denied. For Quebec plan members, RAMQ exception drug criteria may apply. The decision for approval versus denial is based on pre-defined clinical criteria, primarily based on Health Canada approved indication(s) and on supporting evidence-based clinical protocols. The plan member will be notified whether their request has been approved or denied. Please note that you have the right to appeal the decision made by Express Scripts Canada.

Part A - Patient Patient information						
First Name:			Last Name:			
Insurance Carrier N	lame/Number:					
Group Number:			Client ID:			
Date of Birth (YYYY/MM/DD):			Relationship: Employee Spouse Dependent			
Language: English French			Gender: Male Female			
Address:						
City:		Province:		Postal Code:		
Email address:						
Telephone (home):		Telephone (cell):		Telephone (work):		
Coordination of ben	efits					
Patient Assistance	Is the patient enrolled in any patient assistance program? Yes No					
Program	Contact Name:		Telepho	ne:		
Provincial	Has the patient applied for reimbursement under a provincial plan? Yes No N/A					
Coverage	What is the coverage decision of the drug? Approved Denied *Attach decision letter*					
Primary Coverage	Has the patient applied for reimbursement under a primary plan? Yes No N/A					
Timiary Coverage	What is the coverage of	decision of the drug?	Approved Der	nied *Attach decision letter*		
information containe administration and r	ed on this form. I give m management of my grou	ny consent on the und up benefit plan. This o	derstanding that the in consent shall continue	er, and its agents, to exchange the personal formation will be used solely for purposes of so long as my dependents and I are covered val, or reinstatement thereof.		

Date



Prior Authorization Request

FORTEO, APO-TERIPARATIDE, OSNUVO, TEVA-TERIPARATIDE (teriparatide)

Part B - Prescriber

Please see instructions on page 1 and complete all sections below. <u>Incomplete forms may result in automatic denial</u>. Please do **not** provide genetic test information or results.

SECTION 1 - DRUG REQUESTED												
FORTEO	APO-TERIPARATIDE	☐ OSNUVO	New request									
TEVA-TERIPARATIDE			Renewal request*									
Dose	Administration (ex: oral, IV, etc)	Frequency	Duration									
Site of drug administration:												
Home Physician	's office/Infusion clinic	Hospital (outpatient)	Hospital (inpatient)									
* Please submit proof of prior of	overage if available											
SECTION 2 – ELIGIBILITY CRITERIA												
1. Please indicate if the patient satisfies the below criteria:												
1. Flease mulcate if the patie	nt satisfies the below criteria.											
Severe Osteoporosis - Lifetime	maximum of 24 months											
For the treatment of se	evere osteoporosis in a postmeno	pausal female who is at increase	ed risk of fracture, AND									
	e Mineral Density (BMD) T-score o ure while on osteoporosis therapy,		nbar spine, or femoral neck,									
— ·	n inadequate response or has a do denosumab, zoledronate) (<i>Please</i>											
Primary or Hypogonadal Severe	• Osteoporosis – Lifetime maximu	m of 24 months										
For the treatment of pr	imary or hypogonadal severe oste	eoporosis in an adult male, AND										
The patient has a Bone Mineral Density (BMD) T-score of -2.5 or less at the total hip, lumbar spine, or femoral neck, or experienced a fracture while on osteoporosis therapy, AND												
— ·	n inadequate response or has a do denosumab, zoledronate) (<i>Please</i>											
Glucocorticoid-Induced Osteopo	orosis – Lifetime maximum of 24	months										
For the treatment of gl	ucocorticoid-induced osteoporosis	s in an adult who is at increased	risk of fracture, AND									
	e Mineral Density (BMD) T-score oure while on osteoporosis therapy,		nbar spine, or femoral neck,									
	n inadequate response or has a do denosumab, zoledronate) (<i>Please</i>											



Prior Authorization Request

FORTEO, APO-TERIPARATIDE, OSNUVO, TEVA-TERIPARATIDE (teriparatide)

None of the above criteria	a applies.				
Relevant additional information	on:				
2. Please list previously tried the	erapies				
	Dosage and	Duration of therapy		Reason for cessation	
Drug	administration	From	То	Inadequate response	Allergy/ Intolerance
☐ The patient is intolerant t	o, or had a confirmed adverse	event with a bios	similar <i>(Plea</i> se	e indicate in the ch	hart above)
	o, or had a confirmed adverse	event with a bios	similar <i>(Please</i>	indicate in the ch	nart above)
The patient is intolerant t	o, or had a confirmed adverse	event with a bios	similar <i>(Plea</i> se	e indicate in the ch	hart above)
The patient is intolerant to the patient to the	o, or had a confirmed adverse	event with a bios	similar (<i>Please</i>	indicate in the ch	nart above)
The patient is intolerant to the patient to the patient is intolerant to the patient to the p	o, or had a confirmed adverse		similar (<i>Plea</i> se	e indicate in the ch	hart above)

Express Scripts Canada®

Mississauga, ON L5R 3G5